



Ministry of  
Environment

**CERTIFICATE OF COMPLIANCE**  
(Pursuant to Section 53 of the *Environmental Management Act*)

**THIS IS TO CERTIFY** that as of the date indicated below, the site identified in Schedule A of this Certificate of Compliance has been satisfactorily remediated to meet the applicable Contaminated Sites Regulation remediation standards and criteria.

This Certificate of Compliance is qualified by the requirements and conditions specified in Schedule B.

The substances for which remediation has been satisfactorily completed and for which this Certificate of Compliance is valid are listed in Schedule C.


I have issued this Certificate of Compliance based on a review of relevant information including the documents listed in Schedule D. I, however, make no representation or warranty as to the accuracy or completeness of that information.

A Director may rescind this Certificate of Compliance if requirements and conditions imposed in the Certificate of Compliance are not complied with or any fees payable under Part 4 of the Act or regulations are outstanding.

This Certificate of Compliance should not be construed as an assurance that there are no hazards present at the site.

The substances to which this Certificate of Compliance applies migrated to the site from a neighbouring source. It should not be assumed that this Certificate of Compliance certifies the remediation of all contaminants at the site.

February 21, 2017  
Date Issued



Peter Kickham  
For Director, *Environmental Management Act*

## Schedule A

The site covered by this Certificate of Compliance is located at 8655 Granville Street, Vancouver, British Columbia, which is more particularly known and described as:


Lot D, Block F, District Lot 318, Plan 21521  
PID: 009-430-105,



The approximate centre of the site using the NAD (North American Datum) 1983 convention is:

Latitude: 49° 12' 28.0"  
Longitude: 123° 8' 27.4"


February 21, 2017  
Date Issued

---

  
Peter Kickham  
For Director, *Environmental Management Act*



February 21, 2017  
Date Issued

  
 Peter Kickham  
 For Director, *Environmental Management Act*

## Schedule B

### Requirements and Conditions


1. Any changes in land, vapour, or water uses must be promptly identified by the responsible persons in a written submission to the Director. An application for an amendment or new Certificate of Compliance may be necessary. The uses to which this condition applies are described in Schedule C and in the site investigation documents listed in Schedule D.

The documents listed in Schedule D indicate that vapour attenuation factors were applied to meet the Contaminated Sites Regulation numerical standards at and adjacent to the site. These vapour attenuation factors were selected based on assumptions about the structures, locations and depths of buildings existing or expected at and adjacent to the site. These assumptions include the following:

- a) Future buildings on the site will be of slab-on-grade construction with a maximum slab depth of 0.3 m below ground surface; and
- b) Unless approved by the Director, the structures and locations of buildings on surrounding lands must remain consistent with the current range of building structures and locations, as has been assumed in the vapour assessment.

Any inconsistencies that arise between the structures, locations and depths of proposed or constructed buildings at or adjacent to the site and the range of structures, locations and depths of buildings assumed in the selection of vapour attenuation factors in the documents listed in Schedule D must be promptly identified by the responsible persons in a written submission to the Director. An application for an amendment or new Certificate of Compliance may be necessary.

February 21, 2017  
Date Issued

  
Peter Kickham  
For Director, *Environmental Management Act*

## Schedule C

### Substances and Uses

#### ***Substances remediated in soil for commercial land soil use:***

##### To meet numerical remediation standards:

- Toluene; and
- LEPHs.

##### To meet risk-based remediation standards:

- Benzene, ethylbenzene, xylene; and
- VPHs.

#### ***Substances remediated in water for marine aquatic life water use:***

##### To meet numerical remediation standards:

- VPHw, LEPHw, and EPHw<sub>10-19</sub>.

#### ***Substances remediated in water for drinking water use:***

##### To meet numerical remediation standards:

- Benzene, toluene, ethylbenzene, and xylenes (total);
- EPHw<sub>10-19</sub>.

February 21, 2017  
Date Issued

Site Identification Number 6086  
Version 8.0 R



Peter Kickham  
For Director, *Environmental Management Act*

## Schedule D

### Documents

*Summary of Site Condition (Management Area 1 for Site ID: 6086), SNC-Lavalin Inc., April 2016;*


*Human Health and Ecological Risk Assessment, Former Service Station and Associated Management Areas, 8655 Granville Street, Vancouver, BC, SNC-Lavalin, January 18, 2016;*

*Site Investigations and Remediation, Former Service Station, 8655 Granville Street, Vancouver, BC, SNC-Lavalin, January 14, 2016;*

*Detailed Site Investigation and Remediation, Former Imperial Service Station, 8655 Granville Street, Vancouver, BC, SNC-Lavalin, July 2010; and*

*Stage 1 Preliminary Site Investigation – Former Esso Service Station, 8655 Granville, Vancouver, BC, Morrow Environmental Consultants Inc., January 2000.*

February 21, 2017  
Date Issued

  
Peter Kickham  
For Director, *Environmental Management Act*

Site Identification Number 6086  
Version 8.0 R

6 of 6