



CERTIFICATE OF COMPLIANCE
(Pursuant to Section 53 of the *Environmental Management Act*)

THIS IS TO CERTIFY that as of the date indicated below, the site identified in Schedule A of this Certificate of Compliance has been satisfactorily remediated to meet the applicable Contaminated Sites Regulation remediation standards and criteria.

This Certificate of Compliance is qualified by the requirements and conditions specified in Schedule B.

The substances for which remediation has been satisfactorily completed and for which this Certificate of Compliance is valid are listed in Schedule C.


I have issued this Certificate of Compliance based on a review of relevant information including the documents listed in Schedule D. I, however, make no representation or warranty as to the accuracy or completeness of that information.

A Director may rescind this Certificate of Compliance if requirements and conditions imposed in the Certificate of Compliance are not complied with or any fees payable under Part 4 of the Act or regulations are outstanding.

This Certificate of Compliance should not be construed as an assurance that there are no hazards present at the site.

The substances to which this Certificate of Compliance applies migrated to the site from a neighbouring source. It should not be assumed that this Certificate of Compliance certifies the remediation of all contaminants at the site.

January 23, 2018
Date Issued


Lavinia Zanini, P.Geo.
For Director, *Environmental Management Act*

Schedule A

The site covered by this Certificate of Compliance is located at on a portion of the roadway adjacent 742 Tranquille Road, Kamloops, British Columbia which is more particularly known and described as:

Commencing at the southwest corner of Lot 1, District Lot 256, Kamloops Division Yale District Plan 28226.

Thence, at a bearing of 179 degrees 27 minutes 29 seconds a distance of 16.4 m.

Thence, at a bearing of 249 degrees 8 minutes 41 seconds a distance of 10.6 m.

Thence, at a bearing of 320 degrees 46 minutes 18 seconds a distance of 64.0 m.

Thence, at a bearing of 4 degrees 11 minutes 31 seconds a distance of 35.3 m.

Thence, at a bearing of 88 degrees 32 minutes 38 seconds a distance of 14.9 m.

Thence, at a bearing of 111 degrees 36 minutes 24 seconds a distance of 15.6 m.

Thence, at a bearing of 269 degrees 10 minutes 3 seconds a distance of 18.9 m.

Thence, at a bearing of 165 degrees 5 minutes 23 seconds a distance of 5.2 m.

Thence, at a bearing of 153 degrees 34 minutes 16 seconds a distance of 28.9 m.

Thence, at a bearing of 140 degrees 49 minutes 26 seconds a distance of 36.2 m to the point of commencement.

The site is depicted in an engineering drawing 132773-002A prepared by SNC-Lavalin Inc. on November 25, 2016.


The approximate centre of the site using the NAD (North American Datum) 1983 convention is:

Latitude: 50° 41' 53.4"

Longitude: 120° 21' 44.5"



January 23, 2018

Date Issued



Lavinia Zanini, P.Ge.

For Director, *Environmental Management Act*



January 23, 2018
Date Issued


 Lavinia Zanini, P.Geo.
 For Director, Environmental Management Act

Schedule B

Requirements and Conditions

1. Any changes in land, vapour, or water uses must be promptly identified by the responsible person in a written submission to the Director. An application for an amendment or new Certificate of Compliance may be necessary. The uses to which this condition applies are described in Schedule C and in the site investigation documents listed in Schedule D.


The documents listed in Schedule D indicate that vapour attenuation factors were applied to meet Contaminated Sites Regulation numerical standards at the site. These vapour attenuation factors were selected based on assumptions about the structures, locations and depths of buildings existing or expected at the site. These assumptions include the following:

- (a) No buildings will be constructed at the site.

Any inconsistencies that arise between the structures, locations and depths of proposed or constructed buildings and the range of structures, locations and depths of buildings assumed in the selection of vapour attenuation factors in the documents listed in Schedule D must be promptly identified by the responsible person in a written submission to the Director. An application for an amendment or new Certificate of Compliance may be necessary.

2. The principal risk controls which must be present or implemented and must be maintained at the site include the following:
 - (a) Groundwater must not be used as a drinking water source at the site.
3. If requested by the Director, the responsible person must provide a signed statement indicating whether the principal risk controls listed in clause 2 of this Schedule have been and continue to be met. This may include providing a signed statement by an Approved Professional.

January 23, 2018
Date Issued


Lavinia Zanini, P.Geo.
For Director, *Environmental Management Act*

Schedule C

Substances and Uses

Substances remediated in soil for industrial land soil use:

To meet numerical remediation standards:

- Toluene.

To meet risk-based remediation standards:

- Benzene, ethylbenzene, xylenes,
- VPHs.


Substances remediated in water for drinking water use:

To meet risk-based remediation standards:

- Benzene, ethylbenzene, toluene, xylenes,
- EPHW₁₀₋₁₉,
- 1,2-Dichloroethane.

January 23, 2018

Date Issued



Lavinia Zanini, P.Geol.

For Director, *Environmental Management Act*

Schedule D

Documents

Summary of Site Condition, prepared by SNC-Lavalin Inc., dated September 15, 2017.

Summary of Communication in Regards to the Certificate of Compliance Application for the Former Shell Site at 742 Tranquille Road, Kamloops, BC (LC: C44013), prepared by SNC-Lavalin Inc., dated September 15, 2017.

Human Health and Ecological Risk Assessment, Former Shell Turbo Branded Service Station at 742 Tranquille Road, Kamloops, BC and Associated Management Areas, Location Code: C44013, prepared by SNC-Lavalin Inc., dated September 15, 2017.

Stage 1 and 2 Preliminary Site Investigation and Detailed Site Investigation, Former Shell Turbo Branded Service Station at 742 Tranquille Road, Kamloops, BC, Location Code: C44013, prepared by SNC-Lavalin Inc., dated September 15, 2017.

Letter re: Protocol 6 Preapproval Application – 742 Tranquille Road, Kamloops, BC, prepared by BC Ministry of Environment, dated November 24, 2015, revised December 5, 2016.

Letter re: Protocol 6 Approval Application – 742 Tranquille Road, Kamloops, BC, prepared by BC Ministry of Environment, dated October 20, 2016.

Second Addendum to Protocol 6 Preapproval Application for 742 Tranquille Road, Kamloops, BC, Shell Location Code: C44013, prepared by SNC-Lavalin Inc., dated August 19, 2016.

Addendum to Protocol 6 Preapproval Application for 742 Tranquille Road, Kamloops, BC (LC: C44013), prepared by SNC-Lavalin Inc., dated November 12, 2015.

Protocol 6 Preapproval Application for 742 Tranquille Road, Kamloops, BC, (LC: C44013), prepared by SNC-Lavalin Inc., dated July 7, 2015.

January 23, 2018
Date Issued


Lavinia Zanini, P.Geo.
For Director, Environmental Management Act