



VIA EMAIL: john.driedger@shell.com

Regional File: 26250-20/16407
Site ID: 16407

June 23, 2020

Mr. John Driedger, P.Eng.
Shell Canada Products
400-4th Avenue, SW
PO Box 100, Station M
Calgary, AB T2P 2H5

Dear Mr. Driedger:

Re: Certificate of Compliance – Portion of 6005 Highway 17A, Delta, British Columbia

Please find enclosed a Certificate of Compliance respecting the site referenced above.

In addition to the conditions set out in Schedule B of the Certificate of Compliance, please be advised of the following:

1. Information about the site will be included in the Site Registry established under the *Environmental Management Act*.
2. The provisions of this Certificate of Compliance are without prejudice to the right of the Director to make orders or impose requirements as the Director may deem necessary in accordance with applicable laws. Nothing in this Certificate of Compliance will in any way restrict or impair the Director's power in this regard.
3. A qualified environmental consultant should be available to identify, characterize and appropriately manage:
 - (a) any environmental media that may be contaminated, or
 - (b) soil which may exceed the standards triggering a Contaminated Soil Relocation Agreement set out in section 40 of the Contaminated Sites Regulation and may be encountered during any future subsurface work at the site.
4. Groundwater wells that are no longer required must be properly decommissioned in accordance with the *Water Sustainability Act's* Groundwater Protection Regulation.

5. Please note that future site development may create preferential pathways for vapour. In this event, further assessment and remediation of vapour may be warranted.
6. Please note that the attached Certificate of Compliance does not address obligations of employers regarding worker health and safety under the *Workers Compensation Act* and Occupational Health and Safety Regulation. Development of site-specific work procedures in accordance with Workers' Compensation Board regulations may be warranted. Please direct related questions to Worksafe BC.

Issuance of this Certificate of Compliance is a decision that may be appealed under Part 8 of the *Environmental Management Act*.

If you require clarification of any aspect of this Certificate of Compliance, please contact the undersigned at 236-468-2209 (toll free via Enquiry BC at 1-800-663-7867).

Yours truly,



Liliana Jerade
Senior Contaminated Sites Officer

Enclosure

cc: City of Delta - Climate Action and Environment Department
4500 Clarence Taylor Crescent, Delta, B.C. V4K 3E2, CAE@delta.ca

Peter Toigo, Shato Holdings Ltd.
300-4088 Cambie Street, Vancouver, BC, V5Z 2X8, rontoigo@shato.com

Edna Wong, SNC-Lavalin Inc.,
8648 Commerce Court, Burnaby, BC, V5A 4N6, Edna.Wong@snclavalin.com

John DeCesare, Approved Professional, SNC-Lavalin Inc.,
201-8915 51st Avenue, Edmonton, AB, T6E 5J3, John.DeCesare@snclavalin.com

Tara Siemens Kennedy, Approved Professional, SNC-Lavalin Inc.,
8648 Commerce Court, Burnaby, BC, V5A 4N6 Tara.Kennedy@snclavalin.com

CSAP Society apopova@csapsociety.bc.ca

BC Hydro, c/o Courtney.Marsh@bhydro.com

Telus, c/o Bryan.Brassington@telus.com

Provincial Agricultural Land Commission
201 - 4940 Canada Way, Burnaby, BC, Canada, V5G 4K6,
ALCBurnaby@Victoria1.gov.bc.ca

Montreal Trust Company
100 King Street West, 28th Floor, Toronto, ON M5X 1A1, Canada
Feedback@bmo.com

Client Information Officer, ENV, Victoria csp_cio@Victoria1.gov.bc.ca



CERTIFICATE OF COMPLIANCE
(Pursuant to Section 53 of the *Environmental Management Act*)

THIS IS TO CERTIFY that as of the date indicated below, the site identified in Schedule A of this Certificate of Compliance has been satisfactorily remediated to meet the applicable Contaminated Sites Regulation remediation standards and criteria.

This Certificate of Compliance is qualified by the requirements and conditions specified in Schedule B.

The substances for which remediation has been satisfactorily completed and for which this Certificate of Compliance is valid are listed in Schedule C.


I have issued this Certificate of Compliance based on a review of relevant information including the documents listed in Schedule D. I, however, make no representation or warranty as to the accuracy or completeness of that information.

A Director may rescind this Certificate of Compliance if requirements and conditions imposed in the Certificate of Compliance are not complied with or any fees payable under Part 4 of the Act or regulations are outstanding.

This Certificate of Compliance should not be construed as an assurance that there are no hazards present at the site.

The substances to which this Certificate of Compliance applies migrated to the site from a neighbouring source. It should not be assumed that this Certificate of Compliance certifies the remediation of all contaminants at the site.

June 23, 2020
Date Issued


Liliana Jerade
For Director, *Environmental Management Act*

Schedule A

The management area covered by this Certificate of Compliance is located on a portion of 6005 Highway 17A, Delta, British Columbia which is more particularly known and described as:

Portion of Lot 9 Except: Firstly: Part on Plan 45999A; Secondly: Part Dedicated Road on Plan LMP43493; District Lot 26, Group 2, New Westminster District, Plan 33914; or

Commencing at a point bearing 294 degrees 49 minutes 47 seconds a distance of 7.40 m from the south corner of *Lot 7, District Lot 26, Group 2, New Westminster District, Plan 33914*.

Thence, at a bearing of 218 degrees 7 minutes 29 seconds a distance of 27.83 m.

Thence, at a bearing of 302 degrees 22 minutes 40 seconds a distance of 42.20 m.

Thence, at a bearing of 31 degrees 56 minutes 8 seconds a distance of 22.09 m.

Thence, at a bearing of 115 degrees 17 minutes 58 seconds a distance of 45.50 m to the point of commencement, and comprising an area of 1,083.51 m².


PID: Portion of 000-670-332

The management area contains a portion of a lot depicted in an engineering drawing 130884-203 prepared by SNC-Lavalin Inc., on April 8, 2020.

The approximate centre of the site using the NAD (North American Datum) 1983 convention is:

Latitude:	49°	06'	36.6"
Longitude:	123°	03'	14.3"


June 23, 2020
Date Issued


Liliana Jerade
For Director, *Environmental Management Act*


Site Plan, Delta, BC

Metes and Bounds Description – Shato Property MA


Commencing at a point bearing 294 degrees 49 minutes 47 seconds a distance of 7.40 m from the south corner of Lot 7, District Lot 26, Group 2, New Westminster District, Plan 33914. Thence, at a bearing of 218 degrees 7 minutes 29 seconds a distance of 27.83 m. Thence, at a bearing of 302 degrees 22 minutes 40 seconds a distance of 42.20 m. Thence, at a bearing of 31 degrees 56 minutes 8 seconds a distance of 22.09 m. Thence, at a bearing of 115 degrees 17 minutes 58 seconds a distance of 45.50 m to the point of commencement, and comprising an area of 1,083.51 m².



Location Map, Delta, BC



June 23, 2020
Date Issued


Liliana Jerade
For Director, Environmental Management Act

Schedule B

Requirements and Conditions

1. Any changes in land, vapour or water uses must be promptly identified by the responsible person in a written submission to the Director. An application for an amendment or new Certificate of Compliance may be necessary. The uses to which this condition applies are described in Schedule C and in the site investigation documents listed in Schedule D.


The documents listed in Schedule D indicate that vapour attenuation factors were applied to meet Contaminated Sites Regulation numerical standards at the site. These vapour attenuation factors were selected based on assumptions about the structures, locations and depths of buildings existing or future at the management area. These assumptions include the following:

- (a) *The Site will continue to be used for outdoor use; or,*
- (b) *Future buildings at the Site can have a slab built to the Delta building code (1.6 m geodetic slab elevation or higher); or,*
- (c) *A future parkade at the Site can be to any depth.*

Any inconsistencies that arise between the structures, locations and depths of proposed or constructed buildings at the site and the range of structures, locations and depths of buildings assumed in the selection of vapour attenuation factors in the documents listed in Schedule D must be promptly identified by the responsible person in a written submission to the Director. An application for an amendment or new Certificate of Compliance may be necessary.

2. The principal risk controls which must be present or implemented and must be maintained at the site include the following:
 - (a) *Groundwater from the Site must not be used as a source of drinking water.*
3. If requested by the Director, the responsible person must provide a signed statement indicating whether the principal risk controls listed in clause 2 of this Schedule have been and continue to be met. This may include providing a signed statement by an Approved Professional.

June 23, 2020
Date Issued


Liliana Jerade
For Director, Environmental Management Act

Schedule C

Substances and Uses

Substances remediated in soil for high density residential land soil use:

To meet numerical remediation standards:

- Ethylbenzene (100-41-4)
- VPHs (N/A)
- Xylenes (1330-20-7)

To meet risk-based remediation standards:

- Arsenic (7440-38-2)
- Benzene (71-43-2)

Substances remediated in vapour for residential land vapour use:

To meet numerical remediation standards:

- Benzene (71-43-2)
- Butadiene, 1,3 - (106-99-0)
- Trimethylbenzene, 1,2,4- (95-63-6)
- Trimethylbenzene, 1,3,5- (108-67-8)
- VPHv (N/A)

Substances remediated in water for drinking water use:

To meet numerical remediation standards:

- Benzene (71-43-2)
- Ethylbenzene (100-41-4)
- Toluene (108-88-3)
- Xylenes, total (1330-20-7)

To meet risk-based remediation standards:

- Arsenic (7440-38-2)

Substances remediated in water for freshwater aquatic life water use:

To meet numerical remediation standards:

- Arsenic (7440-38-2)
- Naphthalene (91-20-3)

June 23, 2020

Date Issued



For Director, *Environmental Management Act*

Schedule D

Documents

Summary of Site Condition (Shato MA), prepared by SNC-Lavalin Inc., dated April 2020;

Summary of Communication in Regards to the CofC Application for the Off-Site Management Areas associated with the Former Shell Service Station at 6115 Highway 17A, Delta, BC Location Code: C01992, dated April 24, 2020;

Human Health and Ecological Risk Assessment, Former Shell Service Station at 6115 Highway 17A, Delta, BC (Location Code: C01992) and Associated Management Areas, prepared by SNC-Lavalin Inc., dated April 15, 2020; and

Stage 1 and 2 Preliminary Site Investigations, Detailed Site Investigations, Decommissioning and Remediation, Former Shell Service Station, 6115 Highway 17A, Delta, BC and Off-Site Management Areas, Location Code: C01992, prepared by SNC-Lavalin Inc., dated April 10, 2020.

June 23, 2020
Date Issued


Liliana Jerade
For Director, *Environmental Management Act*
