



VIA EMAIL: kim.maust@conwest.com

Victoria File: 26250-20/21293
Site ID: 21293

June 14, 2023

Antonio Marinelli
Conwest (PK92) GP Ltd., Inc. No. BC1357460
401 – 1930 Pandora Street
Vancouver, BC V5L 0C7

Dear Mr. Marinelli:

**Re: Approval in Principle – 19469 and 19511 92nd Avenue and City of Surrey
Cul-De-Sac, Surrey, BC**

Please find enclosed an Approval in Principle respecting the contaminated site referenced above.

In addition to the conditions set out in Schedule B of the Approval in Principle, please be advised of the following:

1. Information about the site will be included in the Site Registry established under the *Environmental Management Act*.
2. The provisions of this Approval in Principle are without prejudice to the right of the Director to make orders or impose requirements as the Director may deem necessary in accordance with applicable laws. Nothing in this Approval in Principle will restrict or impair the Director's powers in this regard.
3. A qualified environmental consultant should be available to identify, characterize and appropriately manage:
 - (a) any environmental media that may be contaminated, or
 - (b) removal of soil under the provisions of Part 8 of the Contaminated Sites Regulation and may be encountered during any future subsurface work at the site.
4. This Approval in Principle does not authorize entry upon, crossing over, or use for any purpose of private or Crown lands or works, unless and except as authorized by the owner of such lands or works. The responsibility for obtaining such authority rests with the persons undertaking remediation. It is also the responsibility of those persons to ensure that all

activities conducted under this Approval in Principle are carried out with due regard to the rights of third parties, and comply with other applicable legislation that may be in force.

5. Additional permits and approvals may be required before remediation begins.
6. All site materials (e.g., excavated soil, replaced soil, groundwater from dewatering, pumping, well development etc.) must be characterized and managed in accordance with applicable legislation and ministry guidance.
7. Groundwater wells that are no longer required must be properly decommissioned in accordance with the *Water Sustainability Act's* Groundwater Protection Regulation.
8. Please be advised that there are inherent health and safety risks associated with remediation activities at contaminated sites. Development of site-specific work procedures in accordance with WorkSafeBC regulations is warranted. Please direct related questions to the WorkSafeBC office at 604-276-3100 (Lower Mainland only) or 1-888-621-7233 (toll free in B.C.).
9. Any substantial modifications to the approved remediation plan, including substantial changes to the remediation schedule *<conditions or circumstances described in the risk assessment upon which the remediation plan is based>*, or changes in land use, must be promptly identified by written submission to the Director.
10. If an application for a Certificate of Compliance is to be submitted for the site, the confirmation of remediation report accompanying the application must demonstrate compliance with the remediation standards and criteria in force at the time the application for the Certificate is made, which may differ from the remediation standards and criteria in force at the time of issuance of this Approval in Principle.

Issuance of this Approval in Principle is a decision that may be appealed under Part 8 of the *Environmental Management Act*.

If you require clarification of any aspect of this Approval in Principle, please contact the undersigned at Peter.Yan@gov.bc.ca.

Yours truly,



Hong (Peter) Yan, M.A. Sc., P.Eng.
For Director, *Environmental Management Act*

Enclosure

cc:

Ken Woodward, City of Surrey
KSWoodward@surrey.ca

Anna Popova, CSAP Society
apopova@csapsociety.bc.ca

Client Information Officer, ENV, Victoria
csp_cio@Victoria1.gov.bc.ca

Michael Geraghty, Approved Professional, Keystone Environmental Ltd.
mgeraghty@keystoneenvironmental.ca

Scott Steer, Approved Professional, Steer Environmental Associates Ltd.
scott.steer@steerenvironmental.com

Brad Black, HSBC Bank of Canada
brad_black@hsbc.ca



APPROVAL IN PRINCIPLE
(Pursuant to Section 53 of the *Environmental Management Act*)

THIS IS TO CERTIFY that the remediation plan described herein submitted by Conwest (PK92) GP Ltd. for the contaminated site identified in Schedule A of this document has been approved.

When implemented, the remediation plan must be implemented in accordance with the requirements and conditions specified in Schedule B.

The substances for which remediation will be conducted and for which this Approval in Principle is valid are specified in Schedule C.

I have issued this Approval in Principle based on a review of the documents listed in Schedule D. I, however, make no representation or warranty as to the accuracy or completeness of that information.

A Director may rescind this Approval in Principle if conditions imposed in the Approval in Principle are not complied with or any fees payable under Part 4 of the Act or regulations are outstanding.

This Approval in Principle should not be construed as an assurance that there are no hazards present at the site.

June 14, 2023
Date Issued

Signing Authority
For Director, *Environmental Management Act*

Schedule A

The site covered by this Approval in Principle is located at 19469 and 19511 92nd Avenue, Surrey, British Columbia and adjacent City of Surrey Cul-De-Sac. The PID and legal description for the 19469 and 19511 92nd Avenue portions of the Site are:

Lot 26 Section 34 Township 8 New Westminster District Plan 58178
002 - 995 - 956

Lot 27 Except: Firstly: Parcel A (Bylaw Plan 78131); Secondly: Parcel B (Bylaw Plan 78131);
Section 34 Township 8 New Westminster District Plan 58178
005 - 654 - 866

The Site is legally known and described by the following two metes and bounds legal description:

Starting at the northeast corner of Lot 27 Except: Firstly: Parcel a (Bylaw Plan 78131); Secondly: Parcel b (Bylaw Plan 78131); Section 34 Township 8 New Westminster District Plan 58178, the point of commencement.

Thence 178° 44' 58" for 182.902 metres;

Thence 269° 47' 41" for 183.016 metres;

Thence 267° 45' 39" for 28.190 metres;

Thence 269° 47' 41" for 106.660 metres;

Thence 358° 44' 58" for 180.090 metres;

Thence 89° 06' 27" for 317.820 metres;

Returning to the point of commencement.

The site contains part of a legal parcel depicted in engineering drawings prepared by Keystone Environmental Ltd. on March 15, 2023.

The approximate centre of the site using the NAD (North American Datum) 1983 convention is:

Latitude: 49° 10' 15.50"



Longitude: 122° 40' 53.00"

June 14, 2023


Date Issued



Signing Authority
For Director, *Environmental Management Act*



June 14, 2023
Date Issued


 Signing Authority
 For Director, *Environmental Management Act*

Schedule B


Requirements and Conditions

1. Remediation, including monitoring, inspections and maintenance of any works, must be undertaken by the responsible person in the manner and schedule specified in the plan listed in Schedule D or as specified in a modification of the plan approved by the Director.
2. Any substantial modifications to the approved remediation plan, including substantial changes to the remediation schedule, conditions or circumstances described in the risk assessment upon which the remediation plan is based, or changes in land, vapour, water, or sediment use, must be promptly identified in a written submission by the responsible person to the Director. An application for an amendment or new Approval in Principle may be necessary.
3. Up-to-date records of monitoring, inspections and maintenance of any works must be maintained by the responsible person or their agent. The records must be available for inspection by the Director.
4. Remediation must be completed within five years of the date of issuance of this Approval in Principle.
5. Remediation must be confirmed in accordance with applicable legislation and ministry guidance. Within 90 days of completing remediation, a report summarizing confirmation of remediation must be prepared in accordance with section 49 (2) of the Contaminated Sites Regulation and submitted to the Director.
6. A statement signed by an Approved Professional must be submitted to the Director annually within 90 days of the anniversary of the date of issuance of this Approval in Principle. The statement must include the following:
 - (a) A summary of remedial activities undertaken during the reporting period; and
 - (b) An assessment comparing remediation progress to the actions and schedule set out in the plans referenced above. Refer to Condition 3 above if remedial progress differs substantially from the schedule set out in the approved plan.

If requested by the Director, a report signed by an Approved Professional must be submitted for review to the Director and must include the following:

- (a) A summary of remedial activities undertaken to date;

June 14, 2023
Date Issued




Signing Authority
For Director, *Environmental Management Act*

- (b) An assessment comparing remediation progress to the actions and schedule set out in the plans referenced above. Refer to Condition 3 above if remedial progress differs substantially from the schedule set out in the approved plan; and
 - (c) Supporting documentation (e.g., analytical reports, records of inspection, maintenance of treatment works, etc.).
7. The documents listed in Schedule D indicate that vapour attenuation factors were applied to meet Contaminated Sites Regulation numerical standards at the site. These vapour attenuation factors were selected based on assumptions about the structures, locations and depths of buildings existing or expected at the site. These assumptions include the following:
- (a) Any existing structures or proposed structures for the site are/will be slab-on-grade with commercial use.

Any inconsistencies that arise between the structures, locations, and depths of proposed or constructed buildings at the site and the range of structures, locations and depths of buildings assumed in the selection of vapour attenuation factors in the documents listed in Schedule D must be promptly identified by the responsible person in a written submission to the Director. An application for an amendment or new Approval in Principle may be necessary.

June 14, 2023
Date Issued


Signing Authority
For Director, *Environmental Management Act*

Schedule C

Substances and Uses

Substances to be remediated in soil for commercial land soil use:

To meet risk-based remediation standards:

arsenic	7440-38-2
zinc	7440-66-6

Substances remediated in soil for commercial land soil use:

To meet numerical remediation standards:

benzene	71-43-2
ethylbenzene	100-41-4
toluene	108-88-3
xylenes, total	1330-20-7

Substances remediated in water for drinking water use:

To meet numerical remediation standards:


benzene	71-43-2
ethylbenzene	100-41-4
toluene	108-88-3
xylenes, total	1330-20-7

Substances remediated in water for aquatic life freshwater use:

To meet numerical remediation standards:

benzene	71-43-2
ethylbenzene	100-41-4
toluene	108-88-3
xylenes, total	1330-20-7

June 14, 2023
Date Issued



Signing Authority
For Director, *Environmental Management Act*

Schedule D

Documents

Summary of Site Condition, 19469 and 19511 92nd Avenue and City of Surrey Cul-De-Sac, Surrey, BC, Keystone Environmental Ltd., April 21, 2023;


Stage 1 and 2 Preliminary Site Investigation, Detailed Site Investigation and Remediation Plan, 19469 and 19511 92nd Avenue and City of Surrey Cul-De-Sac, Surrey, BC, Keystone Environmental Ltd., March 31, 2023;

Human Health and Ecological Risk Assessment, 19469 and 19511 92nd Avenue and City of Surrey Cul-De-Sac, Surrey, BC, Keystone Environmental Ltd., March 31, 2023;

Letter of Agency for City of Surrey, Cul-De-Sac adjacent to 19511 and 19469 92nd Avenue, Surrey, BC, City of Surrey, January 16, 2023; and

Notice of Advice regarding Water Sustainability Act Stream Determination Question, 19511 and 19469 92nd Avenue, Surrey, BC, Ministry of Forests Stream Management, May 30, 2022.

June 14, 2023
Date Issued


Signing Authority
For Director, *Environmental Management Act*
