



VIA EMAIL: Evan@brimmingrealestate.com

Victoria File: 26250-20/11669
Site ID: 11669

May 10, 2022

Dundarave Beachside LP
Unit 411-15336 31 Avenue
Surrey, BC, V3Z 0X2
Attn. Evan Wang

Re: Approval in Principle – 2452-2496 Marine Drive, West Vancouver, British Columbia

Please find enclosed an Approval in Principle respecting the contaminated site referenced above.

In addition to the conditions set out in Schedule B of the Approval in Principle, please be advised of the following:

1. Information about the site will be included in the Site Registry established under the *Environmental Management Act*.
2. The provisions of this Approval in Principle are without prejudice to the right of the Director to make orders or impose requirements as the Director may deem necessary in accordance with applicable laws. Nothing in this Approval in Principle will restrict or impair the Director's powers in this regard.
3. A qualified environmental consultant should be available to identify, characterize and appropriately manage:
 - (a) any environmental media that may be contaminated, or
 - (b) soil which may exceed the standards triggering a Contaminated Soil Relocation Agreement set out in section 40 of the Contaminated Sites Regulation and may be encountered during any future subsurface work at the site.
4. This Approval in Principle does not authorize entry upon, crossing over, or use for any purpose of private or Crown lands or works, unless and except as authorized by the owner of such lands or works. The responsibility for obtaining such authority rests with the persons

undertaking remediation. It is also the responsibility of those persons to ensure that all activities conducted under this Approval in Principle are carried out with due regard to the rights of third parties, and comply with other applicable legislation that may be in force.

5. Additional permits and approvals may be required before remediation begins.
6. All site materials (e.g., excavated soil, replaced soil, groundwater from dewatering, pumping, well development etc.) must be characterized and managed in accordance with applicable legislation and ministry guidance.
7. Groundwater wells that are no longer required must be properly decommissioned in accordance with the *Water Sustainability Act's* Groundwater Protection Regulation.
8. Please be advised that there are inherent health and safety risks associated with remediation activities at contaminated sites. Development of site-specific work procedures in accordance with WorkSafeBC regulations is warranted. Please direct related questions to the WorkSafeBC office at 604-276-3100 (Lower Mainland only) or 1-888-621-7233 (toll free in B.C.).
9. Any substantial modifications to the approved remediation plan, including substantial changes to the remediation schedule, or changes in land use, must be promptly identified by written submission to the Director.
10. If an application for a Certificate of Compliance is to be submitted for the site, the confirmation of remediation report accompanying the application must demonstrate compliance with the remediation standards and criteria in force at the time the application for the Certificate is made, which may differ from the remediation standards and criteria in force at the time of issuance of this Approval in Principle.

Issuance of this Approval in Principle is a decision that may be appealed under Part 8 of the *Environmental Management Act*.

If you require clarification of any aspect of this Approval in Principle, please contact the undersigned at 236-468-2209 (toll free via Enquiry BC at 1-800-663-7867).

Yours truly,



Liliana Jerade
Senior Contaminated Sites Officer

Enclosure

cc: Lisa Berg, District of West Vancouver, lberg@westvancouver.ca
Stephanie Louie, District of West Vancouver, slouie@westvancouver.ca
Zayed Mohamed, PGL Environmental Consultants zmohamed@pggroup.com
Ingo Lambrecht, Approved Professional, PGL Environmental Consultants
llambrecht@pggroup.com
Sid Ruben, Pacifica Mortgage Investment Corp., srubin@capitalwest.ca
BC Hydro (British Columbia Electric Company Ltd.), properties.helpdesk@bchydro.com
CSAP Society apopova@csapsociety.bc.ca
Client Information Officer, ENV, Victoria, csp_cio@victoria1.gov.bc.ca



APPROVAL IN PRINCIPLE

(Pursuant to Section 53 of the *Environmental Management Act*)

THIS IS TO CERTIFY that the remediation plan described herein submitted by Dundarave Beachside LP for the contaminated site identified in Schedule A of this document has been approved.

When implemented, the remediation plan must be implemented in accordance with the requirements and conditions specified in Schedule B.

The substances for which remediation will be conducted and for which this Approval in Principle is valid are specified in Schedule C.

I have issued this Approval in Principle based on a review of the documents listed in Schedule D. I, however, make no representation or warranty as to the accuracy or completeness of that information.

A Director may rescind this Approval in Principle if conditions imposed in the Approval in Principle are not complied with or any fees payable under Part 4 of the Act or regulations are outstanding.

This Approval in Principle should not be construed as an assurance that there are no hazards present at the site.

May 10, 2022
Date Issued


Liliana Jerade
For Director, *Environmental Management Act*

Schedule A

The site covered by this Approval in Principle is located at 2452-2496 Marine Drive, West Vancouver, British Columbia which is more particularly known and described as:



Legal Description:	PID:
Lot 6 Block 30 District Lot 555 Plan 3439	012-889-334
Lot 5A Block 30 District Lot 555 Plan 3439	004-952-481
Lot 5, Except Part in Explanatory Plan 7071 Now Lane, Block 30 District Lot 555 Plan 2261	004-952-006
Lot 4, Except Part in Explanatory Plan 7071, Block 30 District Lot 555 Plan 2261	013-943-561
Lot 3 Except Part in Explanatory Plan 7071, Now Lane Block 30 District Lot 555 Plan 2261	006-679-048
Lot K Block 30 District Lot 555 Plan 21695	010-583-611

The approximate centre of the site using the NAD (North American Datum) 1983 convention is:

Latitude: 49° 20' 4.04"
Longitude: 123° 10' 53.80"

May 10, 2022
Date Issued


Liliana Jerade
For Director, *Environmental Management Act*



May 10, 2022
Date Issued


 Liliana Jerade
 For Director, *Environmental Management Act*

Schedule B


Requirements and Conditions

1. Remediation, including monitoring, inspections and maintenance of any works, must be undertaken by the responsible persons in the manner and schedule specified in the plan listed in Schedule D or as specified in a modification of the plan approved by the Director.
2. Any substantial modifications to the approved remediation plan, including substantial changes to the remediation schedule, or changes in land, vapour, water, or sediment use, must be promptly identified in a written submission by the responsible persons to the Director. An application for an amendment or new Approval in Principle may be necessary.
3. Up-to-date records of monitoring, inspections and maintenance of any works must be maintained by the responsible persons or their agent. The records must be available for inspection by the Director.
4. Remediation must be completed within five years of the date of issuance of this Approval in Principle.
5. Remediation must be confirmed in accordance with applicable legislation and ministry guidance. Within 90 days of completing remediation, a report summarizing confirmation of remediation must be prepared in accordance with section 49 (2) of the Contaminated Sites Regulation and submitted to the Director.
6. A statement signed by an Approved Professional must be submitted to the Director annually within 90 days of the anniversary of the date of issuance of this Approval in Principle. The statement must include the following:
 - (a) A summary of remedial activities undertaken during the reporting period; and
 - (b) An assessment comparing remediation progress to the actions and schedule set out in the plan referenced above. Refer to Condition 3 above if remedial progress differs substantially from the schedule set out in the approved plan.

If requested by the Director, a report signed by an Approved Professional must be submitted for review to the Director and must include the following:

- (a) A summary of remedial activities undertaken to date;
- (b) An assessment comparing remediation progress to the actions and schedule set out in the plans referenced above. Refer to Condition 3 above if remedial progress differs substantially from the schedule set out in the approved plan.

May 10, 2022
Date Issued



Liliana Jerade
For Director, *Environmental Management Act*

7. The documents listed in Schedule D indicate that vapour attenuation factors were applied to meet Contaminated Sites Regulation numerical standards at the site. These vapour attenuation factors were selected based on assumptions about the structures, locations and depths of buildings existing or expected at the site. These assumptions include the following:

(a) Any buildings constructed on site will be slab on grade or with an underground parkade.

Any inconsistencies that arise between the structures, locations and depths of proposed or constructed buildings at the site and the range of structures, locations and depths of buildings assumed in the selection of vapour attenuation factors in the documents listed in Schedule D must be promptly identified by the responsible persons in a written submission to the Director. An application for an amendment or new Approval in Principle may be necessary.

May 10, 2022
Date Issued


Liliana Jerade
For Director, *Environmental Management Act*

Schedule C

Substances and Uses

Substances to be remediated in soil for commercial land soil use:

To meet numerical remediation standards:

benz(a)anthracene	56-55-3
benzo(b+j)fluoranthene	205-99-2 & 205-82-3
cadmium	7440-43-9
copper	7440-50-8
indeno(1,2,3-cd)pyrene	193-39-5
lead	7439-9-1
LEPHs	N/A
VPHs	N/A
xylenes	1330-20-7
zinc	7440-66-6

Substances to be remediated in water for marine aquatic life water use:

To meet numerical remediation standards:

benzo(a)pyrene	50-32-8
copper	7440-50-8
LEPHw	N/A
pyrene	129-00-0
zinc	7440-66-6

May 10, 2022
Date Issued



Liliana Jerade
For Director, *Environmental Management Act*

Schedule D

Documents

- *Summary of Site Condition*, prepared by Ingo Lambrecht / PGL Environmental Ltd., dated April 2022.
- *Stage 2 Preliminary and Detailed Site Investigation, and Remediation Plan – 2452-2496 Marine Drive, West Vancouver, BC*, prepared by PGL Environmental Ltd., dated April 2022.
- *Protocol 4 Local Background Determination, 2452-2496 Marine Drive, West Vancouver, BC*, prepared by the Ministry of Environment and Climate Change Strategy, dated April 14, 2022.
- *Contaminated Sites Services Application – Protocol 6 Preapproval Application to not Complete Off-Site Delineation and Remediation in Area Wide Fill, 2452-2496 Marine Drive, West Vancouver, BC*, prepared by the Ministry of Environment and Climate Change Strategy, dated April 6, 2022.
- *Communication Record – Migration to Dundarave Lane From 2490-2496 Marine Drive, West Vancouver, BC* prepared by PGL Environmental Ltd., dated March 23, 2022.
- *Stage 1 Preliminary Site Investigation – 2452-2496 Marine Drive, West Vancouver, BC*, prepared by PGL Environmental Ltd., dated March 2022.
- *Protocol 4 Local Background Determination, 2452-2496 Marine Drive, West Vancouver, BC*, prepared by PGL Environmental Ltd., dated June 24, 2021.
- *Protocol 6 Preapproval Application not to Delineate Area-Wide Fill Contamination, 2452-2496 Marine Drive, West Vancouver, BC*, prepared by PGL Environmental Ltd., dated June 23, 2021.

May 10, 2022
Date Issued


Liliana Jerade
For Director, *Environmental Management Act*