



VIA EMAIL: [apollo@bocci.com](mailto:apollo@bocci.com)

Victoria File: 26250-20/26529  
Site ID: 26529

Date: August 14, 2023

Apollinaire Au  
Woodland Park Holdings Ltd., Inc. No. BC1093742  
495 Railway Street  
Vancouver, BC V6A 1A7

Dear Apollinaire Au,

**Re: Approval in Principle – 1486 (former 1490) East Georgia Street, Vancouver, British Columbia**

Please find enclosed an Approval in Principle respecting the contaminated site referenced above.

In addition to the conditions set out in Schedule B of the Approval in Principle, please be advised of the following:

1. Information about the site will be included in the Site Registry established under the *Environmental Management Act*.
2. The provisions of this Approval in Principle are without prejudice to the right of the Director to make orders or impose requirements as the Director may deem necessary in accordance with applicable laws. Nothing in this Approval in Principle will restrict or impair the Director's powers in this regard.
3. A qualified environmental consultant should be available to identify, characterize and appropriately manage:
  - (a) any environmental media that may be contaminated, or
  - (b) soil which may exceed the standards triggering a Contaminated Soil Relocation Agreement set out in section 40 of the Contaminated Sites Regulation and may be encountered during any future subsurface work at the site.
4. This Approval in Principle does not authorize entry upon, crossing over, or use for any purpose of private or Crown lands or works, unless and except as authorized by the owner of such lands or works. The responsibility for obtaining such authority rests with the persons undertaking remediation. It is also the responsibility of those persons to ensure that all

activities conducted under this Approval in Principle are carried out with due regard to the rights of third parties, and comply with other applicable legislation that may be in force.

5. Additional permits and approvals may be required before remediation begins.
6. All site materials (e.g., excavated soil, replaced soil, groundwater from dewatering, pumping, well development etc.) must be characterized and managed in accordance with applicable legislation and ministry guidance.
7. Groundwater wells that are no longer required must be properly decommissioned in accordance with the *Water Sustainability Act's* Groundwater Protection Regulation.
8. Please be advised that there are inherent health and safety risks associated with remediation activities at contaminated sites. Development of site-specific work procedures in accordance with WorkSafeBC regulations is warranted. Please direct related questions to the WorkSafeBC office at 604-276-3100 (Lower Mainland only) or 1-888-621-7233 (toll free in B.C.).
9. Any substantial modifications to the approved remediation plan, including substantial changes to the remediation schedule, or changes in land use, must be promptly identified by written submission to the Director.
10. If an application for a Certificate of Compliance is to be submitted for the site, the confirmation of remediation report accompanying the application must demonstrate compliance with the remediation standards and criteria in force at the time the application for the Certificate is made, which may differ from the remediation standards and criteria in force at the time of issuance of this Approval in Principle.

Issuance of this Approval in Principle is a decision that may be appealed under Part 8 of the *Environmental Management Act*.

If you require clarification of any aspect of this Approval in Principle, please contact the undersigned at [site@gov.bc.ca](mailto:site@gov.bc.ca) (toll free via Enquiry BC at 1-800-663-7867).

Yours truly,



Colleen Delaney  
Senior Professional Reliance Officer

Enclosure

cc: City of Vancouver, [Contaminated.Sites@vancouver.ca](mailto:Contaminated.Sites@vancouver.ca)

Michael Guther, P.Eng.  
Metro Testing & Engineering Ltd.  
401-6741 Cariboo Road, Burnaby, BC V3N 4A3  
[mguther@metrotesting.ca](mailto:mguther@metrotesting.ca)

Paul Forster, CIBC  
7<sup>th</sup> Floor, 400 Burrard Street, Vancouver, BC V6C 3A6  
[Paul.forster@cibc.com](mailto:Paul.forster@cibc.com)

Sachdev Kshitij, MBA, CIBC  
7<sup>th</sup> Floor, 595 Bay Street, Toronto, ON. M5G 2CZ  
[Sachdev.kshitij@cibc.com](mailto:Sachdev.kshitij@cibc.com)

Rob Lauman, P. Chem., CSAP  
Ecora Engineering & Resource Group Ltd.  
#200, 2045 Enterprise Way, Kelowna, BC V1Y 9T5  
[rob.lauman@ecora.ca](mailto:rob.lauman@ecora.ca)

CSAP Society: [apopova@csapsociety.bc.ca](mailto:apopova@csapsociety.bc.ca)

Client Information Officer, ENV, Victoria, [csp\\_cio@Victoria1.gov.bc.ca](mailto:csp_cio@Victoria1.gov.bc.ca)



## APPROVAL IN PRINCIPLE

(Pursuant to Section 53 of the *Environmental Management Act*)

**THIS IS TO CERTIFY** that the remediation plan described herein submitted by Woodland Park Holdings Ltd., Inc. No. BC1093742 for the contaminated site identified in Schedule A of this document has been approved.

When implemented, the remediation plan must be implemented in accordance with the requirements and conditions specified in Schedule B.

The substances for which remediation will be conducted and for which this Approval in Principle is valid are specified in Schedule C.

I have issued this Approval in Principle based on a review of the documents listed in Schedule D. I, however, make no representation or warranty as to the accuracy or completeness of that information.

A Director may rescind this Approval in Principle if conditions imposed in the Approval in Principle are not complied with or any fees payable under Part 4 of the Act or regulations are outstanding.

This Approval in Principle should not be construed as an assurance that there are no hazards present at the site.

It should not be assumed that this Approval in Principle is an approval for the remediation of all contaminants at the site.

August 14, 2023

---

Date Issued

---

Colleen Delaney

For Director, *Environmental Management Act*

## Schedule A

The site covered by this Approval in Principle is located at 1486 (former 1490) East Georgia Street, Vancouver, British Columbia, (shown on the Site Plan) which is more particularly known and described as:

- Lot 19 Except the South 10 Feet, now Lane Block 18 of Block B District Lot 182 Plan 398 PID: 012-271-381;
- Lot 20 Except the South 10 Feet, now Lane Block 18 of Block B District Lot 182 Plan 398 PID: 012-271-403; and
- Lot 21 Except the South 10 Feet and the East 8.5 Feet, now Highways Block 18 of Block B District Lot 182 Plan 398 PID: 012-271-446.


The approximate centre of the site using the NAD (North American Datum) 1983 convention is:

Latitude: 49° 16' 41.76"  
Longitude: 123° 4' 28.39"

August 14, 2023

---

Date Issued



---

Colleen Delaney  
For Director, *Environmental Management Act*

### Site Plan



### Location Map



August 14, 2023

Date Issued

*Colleen Delaney*  
Colleen Delaney  
For Director, Environmental Management Act

## Schedule B

### Requirements and Conditions

1. Remediation, including monitoring, inspections and maintenance of any works, must be undertaken by the responsible person in the manner and schedule specified in the plan listed in Schedule D or as specified in a modification of the plan approved by the Director.
2. Any substantial modifications to the approved remediation plan, including substantial changes to the remediation schedule, or changes in land, vapour, water, or sediment use, must be promptly identified in a written submission by the responsible person to the Director. An application for an amendment or new Approval in Principle may be necessary.
3. Up-to-date records of monitoring, inspections and maintenance of any works must be maintained by the responsible person or their agent. The records must be available for inspection by the Director.
4. Remediation must be completed within five years of the date of issuance of this Approval in Principle.
5. Remediation must be confirmed in accordance with applicable legislation and ministry guidance. Within 90 days of completing remediation, a report summarizing confirmation of remediation must be prepared in accordance with section 49 (2) of the Contaminated Sites Regulation and submitted to the Director.
6. A statement signed by an Approved Professional must be submitted to the Director annually within 90 days of the anniversary of the date of issuance of this Approval in Principle. The statement must include the following:
  - (a) A summary of remedial activities undertaken during the reporting period; and
  - (b) An assessment comparing remediation progress to the actions and schedule set out in the plans referenced above. Refer to Condition 2 above if remedial progress differs substantially from the schedule set out in the approved plan.

If requested by the Director, a report signed by an Approved Professional must be submitted for review to the Director and must include the following:

- (a) A summary of remedial activities undertaken to date;
- (b) An assessment comparing remediation progress to the actions and schedule set out in the plans referenced above. Refer to Condition 2 above if remedial progress differs substantially from the schedule set out in the approved plan; and

August 14, 2023

---

Date Issued

  
Colleen Delaney  
For Director, *Environmental Management Act*

(c) Supporting documentation (e.g., analytical reports, records of inspection, maintenance of treatment works, etc.).


7. The documents listed in Schedule D indicate that vapour attenuation factors were applied to meet Contaminated Sites Regulation numerical standards at the site. These vapour attenuation factors were selected based on assumptions about the structures, locations and depths of buildings existing or expected at the site. These assumptions include the following:
- (a) Any building erected on the site will have a parkade slab at no more than 25.0 metres below grade.

Any inconsistencies that arise between the structures, locations and depths of proposed or constructed buildings at the site and the range of structures, locations and depths of buildings assumed in the selection of vapour attenuation factors in the documents listed in Schedule D must be promptly identified by the responsible person in a written submission to the Director. An application for an amendment or new Approval in Principle may be necessary.

August 14, 2023

---

Date Issued



---

For Director, *Environmental Management Act*



## Schedule C

### Substances and Uses

*Substances to be remediated in soil for commercial land soil use:*


To meet numerical remediation standards:

- LEPH
- VPH

August 14, 2023

---

Date Issued



Colleen Delaney

---

For Director, *Environmental Management Act*

## Schedule D


### Documents

1. *Summary of Site Condition*, Robert Lauman, Ecora Engineering and Resource Group, March 3, 2023
2. *Detailed Site Investigation and Supplemental Site Investigation and Stage 1 Preliminary Site Investigation Update and Remediation Plan, 1486 (former 1490) East Georgia Street, Vancouver, BC*, Alexander Robertson, Metro Testing & Engineering Ltd, August 10, 2022.
3. *Detailed Site Investigation – 1<sup>st</sup> Round (Incomplete) – 1490 East Georgia Street, Vancouver, BC*, Next Environmental Inc, November 9, 2015
4. *Stage 2 Preliminary Site Investigation Report – Site: 1490 East Georgia Street, Vancouver, BC*, Meagan Vidian-Jones, Next Environmental Inc, August 14, 2015
5. *Stage 1 Preliminary Site Investigation Report – Site: 1490 East Georgia Street, Vancouver, BC*, Sarah Morrison, Next Environmental Inc, June 15, 2015
6. *Preliminary Site Investigation – Stage 2, 1490 East Georgia Street, Vancouver, BC*, Raminder Grewal and Kenneth Evans, Keystone Environmental Ltd, February 24, 2004
8. *Report of Findings – Preliminary Site Investigation – Stage 1, 1490 East Georgia Street, Vancouver, BC*, Byron Kirkham, Raminder Grewal and Kenneth Evans, Keystone Environmental Ltd, November 26, 2003

August 14, 2023

---

Date Issued



---

Colleen Delaney  
For Director, *Environmental Management Act*