



VIA EMAIL: apriano@amegagroup.ca

Victoria File: 26250-20/2385
Site ID: 2385

November 11, 2023

1157695 B.C. Ltd.
Att: Apriano Meola
102 – 1515 Pemberton Avenue
North Vancouver, BC V7P 2S3

Dear Apriano Meola:

Re: Certificate of Compliance - 278 Leon Avenue, Kelowna, B.C.

Please find enclosed a Certificate of Compliance respecting the site referenced above.

In addition to the conditions set out in Schedule B of the Certificate of Compliance, please be advised of the following:

1. Information about the site will be included in the Site Registry established under the *Environmental Management Act*.
2. The provisions of this Certificate of Compliance are without prejudice to the right of the Director to make orders or impose requirements as the Director may deem necessary in accordance with applicable laws. Nothing in this Certificate of Compliance will in any way restrict or impair the Director's power in this regard.
3. A qualified environmental consultant should be available to identify, characterize and appropriately manage:
 - (a) any environmental media that may be contaminated, or
 - (b) removal of soil under the provisions of Part 8 of the Contaminated Sites Regulation that may be encountered during any future work at the site.
4. Groundwater wells that are no longer required must be properly decommissioned in accordance with the *Water Sustainability Act's* Groundwater Protection Regulation.
5. Please note that future site development may create preferential pathways for vapour. In this event, further assessment and remediation of vapour may be warranted.

6. Please note that the attached Certificate of Compliance does not address obligations of employers regarding worker health and safety under the *Workers Compensation Act* and Occupational Health and Safety Regulation. Development of site-specific work procedures in accordance with Workers' Compensation Board regulations may be warranted. Please direct related questions to Worksafe BC.

Issuance of this Certificate of Compliance is a decision that may be appealed under Part 8 of the *Environmental Management Act*.

If you require clarification of any aspect of this Certificate of Compliance, please contact the undersigned at Roberto.prieto@gov.bc.ca.

Yours truly,



Roberto Prieto, P.Ag.
Senior Contaminated Sites Officer

Enclosure

cc: City of Kelowna, planninginfo@kelowna.ca

Andrew Thelen, Westmount West Services Inc, Andrew@westmountwest.com

Genia Ionova, Rompson Investment Corporation, geniaionova@romspen.com

Jeff Taylor, Approved Professional, Active Earth Engineering Ltd.,
jeff.taylor@activeearth.ca

FortisBC Energy Inc., faes@fortisbc.ca

Anna Popova, CSAP Society, apopova@csapsociety.bc.ca

Client Information Officer, ENV Victoria, csp_cio@Victoria1.gov.bc.ca



CERTIFICATE OF COMPLIANCE
(Pursuant to Section 53 of the *Environmental Management Act*)

THIS IS TO CERTIFY that as of the date indicated below, the site identified in Schedule A of this Certificate of Compliance has been satisfactorily remediated to meet the applicable Contaminated Sites Regulation remediation standards and criteria.

This Certificate of Compliance is qualified by the requirements and conditions specified in Schedule B.

The substances for which remediation has been satisfactorily completed and for which this Certificate of Compliance is valid are listed in Schedule C.

I have issued this Certificate of Compliance based on a review of relevant information including the documents listed in Schedule D. I, however, make no representation or warranty as to the accuracy or completeness of that information.

A Director may rescind this Certificate of Compliance if requirements and conditions imposed in the Certificate of Compliance are not complied with or any fees payable under Part 4 of the Act or regulations are outstanding.

This Certificate of Compliance should not be construed as an assurance that there are no hazards present at the site.

November 7, 2023
Date Issued

Roberto Prieto
For Director, *Environmental Management Act*

Schedule A


The site covered by this Certificate of Compliance is located at 278 Leon Avenue, Kelowna, British Columbia which is more particularly known and described as:



Lot A District Lot 139 Osoyoos Division Yale District Plan EPP111545
PID: 031-425-267

The approximate centre of the site using the NAD (North American Datum) 1983 convention is:

Latitude: 49° 53' 05.0"
Longitude: 119° 29' 51.0"

November 7, 2023
Date Issued


Roberto Prieto
For Director, *Environmental Management Act*



November 7, 2023

Date Issued

Roberto Prieto
For Director, *Environmental Management Act*

Schedule B

Requirements and Conditions

1. Any changes in land, vapour, or water use must be promptly identified by the responsible person in a written submission to the Director. An application for an amendment or new Certificate of Compliance may be necessary. The use to which this condition applies are described in Schedule C and in the site investigation documents listed in Schedule D.

The documents listed in Schedule D indicate that vapour attenuation factors were applied to meet a Contaminated Sites Regulation numerical standard at the site. These vapour attenuation factors were selected based on assumptions about the structures, locations and depths of buildings and trenches existing or expected at the site. These assumptions include the following:

- (a) *“Future buildings at the Site will be constructed with one level of underground parking.”*

Any inconsistencies that arise between the structures, locations and depths of proposed or constructed buildings at the site and the range of structures, locations and depths of buildings assumed in the selection of vapour attenuation factors in the documents listed in Schedule D must be promptly identified by the responsible person in a written submission to the Director. An application for an amendment or new Certificate of Compliance may be necessary.

November 7, 2023

Date Issued



Roberto Prieto
For Director, *Environmental Management Act*

Schedule C

Substances and Uses

Substances remediated in soil for residential high density land soil use:

To meet numerical remediation standards:

antimony	7440-36-0
arsenic	7440-38-2
benzene	71-43-2
ethylbenzene	100-41-4
HEPHs	N/A
lead	7439-92-1
toluene	108-88-3
VPHs	N/A
xylenes	1330-20-7
zinc	7440-66-6

Substances remediated in water for freshwater aquatic life water use:

To meet numerical remediation standards:

LEPHw	N/A
VPHw	N/A

Substances remediated in water for drinking water use:

To meet numerical remediation standards:

benzene	71-43-2
ethylbenzene	100-41-4
methylnaphthalene, 1-	90-12-0
methylnaphthalene, 2-	91-57-6
naphthalene	91-20-3

November 7, 2023

Date Issued



Roberto Prieto
For Director, *Environmental Management Act*

Schedule D

Documents

Summary of Site Condition, 278 Leon Avenue, Kelowna, BC, prepared by Active Earth Engineering Ltd., dated July 2023;

Stage 1 Preliminary Stage Investigation Update and Confirmation of Remediation, 278 Leon Avenue, Kelowna, BC, prepared by Active Earth Engineering Ltd., dated July 2023;

Approval in Principle, 234-278 Leon Avenue & 1620-1630 Water Street, Kelowna, BC, prepared by BC ENV, dated August 26, 2022;

Remediation Plan, 234-278 Leon Avenue & 1620-1630 Water Street, Kelowna, BC, prepared by Active Earth Engineering Ltd., dated June 2022;

Detailed Site Investigation, 234-278 Leon Avenue & 1620-1630 Water Street, Kelowna, BC, prepared by Active Earth Engineering Ltd., dated June 2022;

Stage 2 Preliminary Site Investigation, 234-278 Leon Avenue & 1620-1630 Water Street, Kelowna, BC, prepared by Active Earth Engineering Ltd., dated June 2022;

Stage 1 Preliminary Site Investigation, 234-278 Leon Avenue & 1620-1630 Water Street, Kelowna, BC, prepared by Active Earth Engineering Ltd., dated June 2022.

November 7, 2023

Date Issued



Roberto Prieto
For Director, *Environmental Management Act*